FORTVNY • ATELIER VENEZIA • produced & distributed by Fortuny S.r.l. San Marco, 2425 . 30124 Venezia - Italy p+39 041 5236953 . info@fortuny.it www.fortuny.it SCHEHERAZADE / art. 126 SH-2 / silk assembly instructions / flush 3 x MAX 15W | E27 220-240V 50-60 Hz

Our creations may show slight imperfections due to the special handwork required on each piece. Variations are one of the features which make each of our products an original and unique item.

IMPORTANT: keep for any possible need

 ϵ

GENERAL:

- Read all instructions and review diagrams beginning with the installation of the fixture.
- All electrical connections must be in accordance with local codes, ordinances or national codes. If you are unfamiliar with methods of electrical wiring, secure the services of a qualified licensed electrician.

BEFORE BEGINNING INSTALLATION:


- Turn off the electricity to the outlet box at the circuit breaker or fuse box.
- If you are replacing an existing fixture, remove the old fixture and expose the supply wiring.
- Remove the old cross bar.

ELECTRICAL CONNECTIONS:

- Connect the blue wire from the fixture to the blue wire of the supply circuit.
- Connect the brown wire from the fixture to the brown supply wire. Connect the ground wire - yellow/green to the ground conductor of the supply circuit.
 Make sure that there are no loose strands of wire and that there are no loose connections.


INSTALLING FIXTURE:

- 1. Before starting the installation, disconnect the power.
- 2. Attach the element **A** to the ceiling using suitable screws.




3. Make the electrical connections.


Refer to the section titled Electrical Connections.



5. Place the fixture **C** over the outlet box, so that the pin extends through the fixture back plate.



6. Secure the fixture against the mounting surface using the mounting cap **D** provided.



- Install bulbs. Do not exceed the maximum wattage for this fixture.
 Refer to the wattage warning label attached to the fixture for maximum allowable wattage.
- 8. Restore the electricity and test.
- 9. You can now proceed to the installation of the Scheherazade lamp.


CAUTION:

Due to the fixture size, it is necessary for more than one person to assist in the installation of this lamp.


Make the electrical connections.

Refer to the section titled Electrical Connections


- 1. Insert the big disk over element **A** from below.
- 2. To secure the element **B** onto element **A** and tighten the three screws that will keep the big disk in place.
- 3. Install bulbs. Do not exceed the maximum wattage for this fixture. Refer to the wattage warning label attached to the fixture for maximum allowable wattage.



- 4. Insert the medium disk into element **C** from below.
- 5. Insert element **D** and tighten the three screws that will hold it in place.




- 6. Screw the small disk onto element **D**.
- 7. Connect the three disks using the set of cords provided (see next page).
- 8. Restore the electricity and test.



- 9. Connect the medium disk with small disk using the set of cords provided.

 To attach medium disk to small disk, pass the cord through the pearls following the path of the arrows (- -) and then make a knot.
- 10. Hang the hook of the glass drop into the ring of the small disk.
- 11. Restore the electricity and test.



CLEANING AND MAINTENANCE

The decoration is **handmade**.

Never use sharp tools, rings, or other objects when installing or cleaning the lamp, as they may irreparably damage it.

Remove dust gently with soft brush only.

FORTVNY SCHEHERAZADE silk 3-tier is made by highly skilled artisans with quality inspections made in all the phases of production.

Every lamp, no matter how similar it may look to another, is completely unique. No two pieces are identical.

The decoration is carefully checked. Marks are not to be considered defects, but rather features that make each lamp unique and authentic and proof of high quality craftsmanship.

CARE INSTRUCTIONS

Do not use polishes or cleaners on the fixture.

Wipe clean with a soft, dry cloth.